

Bona Crosslinker

Technical data sheet

Bona Crosslinker is an additive compatible with Bona Mega which improves properties such as adhesion and the resistance to chemicals and scuffmarks. Suitable to add to the varnish in areas where more spillage and wear can be expected such as in kitchens, hallways etc. Mega must always have the addition of Crosslinker when used for overcoating purposes.

- Improves adhesion and chemical resistance in Bona Mega.
- Used together with Bona Mega when overcoating previously varnished surfaces.

Technical data

Mixing ratio:	2% Bona Crosslinker + 2% water
Safety:	Classified (see Safety Data Sheet)
Flash point:	Non-flammable
Shelf life:	1 year, from the date of production, in unopened original container.
Storage / transport:	The temperature must not fall below +5°C or exceed +25°C during storage or transportation.
Disposal:	Wastes and emptied containers should be handled in accordance with local regulations.
Pack size:	12 x 100 ml (160 boxes per pallet)

Preparation

The varnish container and the Crosslinker are both provided with a measurement scale. After having determined the quantity of varnish required, first dilute the amount of Crosslinker to be added (2%) with an equal volume of water and shake well. The mixture Crosslinker/water should then be mixed with the varnish within 15 minutes and the new mixture should be carefully shaken at once. The mixture of varnish/Crosslinker should be used within 8 hours. For varnishing instructions see the technical data sheet for Bona Mega.

Finishing



Bona[®]