# **SAFETY DATA SHEET**



BONA CREATE Earth, Flora

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: BONA CREATE Earth, Flora
Product code	: Not available.
Product description	: Oil-based primer for wooden floors
Product type	: Liquid.
Other means of identification	: GT5421, GT5440

**1.2 Relevant identified uses of the substance or mixture and uses advised against** Not applicable.

### **1.3 Details of the supplier of the safety data sheet**

Bona AB	
Box 210 74	
SE-200 21 MALMÖ	
SWEDEN	
Tel. +46-(0)40-38 55 00	
e-mail address of person responsible for this SDS	: Environment@bona.com

### **1.4 Emergency telephone number**

# National advisory body/Poison Center

Telephone number	
<u>Supplier</u>	
Telephone number	:
Hours of operation	:

# **SECTION 2: Hazards identification**

2.1 Classification of the subs	stan	e or mixture	
Product definition	1	Mixture	
Classification according to	Dire	<u>ctive 1999/45/EC [DPD]</u>	
The product is classified as	dan	perous according to Directive 1999/45/EC and its amendments.	
Classification	:	R52/53	
Environmental hazards		Harmful to aquatic organisms, may cause long-term adverse ef environment.	fects in the aquatic
See Section 16 for the full tex	t of	he R phrases or H statements declared above.	
See Section 11 for more deta	iled	information on health effects and symptoms.	
2.2 Label elements			
Risk phrases		R52/53- Harmful to aquatic organisms, may cause long-term ac aquatic environment.	lverse effects in the
Safety phrases	:	S2- Keep out of the reach of children. S60- This material and its container must be disposed of as haz	zardous waste.
Supplemental label elements	:	Not applicable.	
Special packaging requiren	nent	<u>2</u>	
Date of issue/Date of revisio	n :	2013-05-23.	Page: 1/10



# **SECTION 2: Hazards identification**

Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.

2.3 Other hazards

Other hazards which do	:	Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust from
not result in classification		sanding etc. can cause self-ignition. All cloths etc. must be put into water, sealed
		containers or be burnt.

### SECTION 3: Composition/information on ingredients

Substance/mixture	: Mixture				
			Class	sification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Solvent naphta (petroleum), heavy arom	EC: 265-198-5 CAS: 64742-94-5	2,5-10	R10 Xn; R65 R66, R67 N; R51/53	Not classified.	[1]
Naphta (petroleum), hydrogen treated heavy	REACH #: 01- 2119457273-39 EC: 265-150-3 CAS: 64742-48-9	<10	R10 Xn; R65 R66, R67	Flam. Liq. 3, H226	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.</li> </ul>
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show this container or label.</li> <li>Keep person warm and at rest. Do not induce vomiting.</li> </ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

Date of issue/Date of revision : 2013-05-23.
--

Page: 2/10



# **SECTION 4: First aid measures**

There are no data available on the preparation itself. The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin. If splashed in the eyes, the liquid may cause irritation and reversible damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.	
Unsuitable extinguishing media	Do not use water jet.	
5.2 Special hazards arising fr	the substance or mixture	
Hazards from the substance or mixture	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.	
Special protective equipment for fire-fighters	Appropriate breathing apparatus may be required.	

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	Exclude sources of ignition and ventilate the area. Avoid breathing vapor or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.
6.2 Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.
6.3 Methods and materials for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Page: 3/10



# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Avoid inhalation of vapor, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	<ul> <li>Store in accordance with local regulations.</li> <li>Notes on joint storage Keep away from: oxidizing agents, strong alkalis, strong acids.</li> <li>Additional information on storage conditions Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight.</li> <li>Keep container tightly closed.</li> <li>No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.</li> </ul>
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

**Recommended monitoring procedures** If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

### **Derived effect levels**

No DELs available.

### **Predicted effect concentrations**

No PECs available.

8.2 Exposure controls			
Appropriate engineering controls	: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.		
Individual protection measure	<u>s</u>		
Hygiene measures	Wash hands, forearms and face thoroughly after handlin eating, smoking and using the lavatory and at the end of Appropriate techniques should be used to remove poten Wash contaminated clothing before reusing. Ensure tha safety showers are close to the workstation location.	the working period. tially contaminated clothing.	
Eye/face protection	Use safety eyewear designed to protect against splash of	of liquids.	
Date of issue/Date of revision	: 2013-05-23.	Page: 4/10	



# **SECTION 8: Exposure controls/personal protection**

==::::::=::=::	
Skin protection	
Hand protection	: Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: nitrile rubber
	The recommendation for the type or types of glove to use when handling this product is based on information from the following source:
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	<ul> <li>Personnel should wear antistatic clothing made of natural fibers or of high- temperature-resistant synthetic fibers.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.
	Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be used.
Environmental exposure controls	: Do not allow to enter drains or watercourses.

# **SECTION 9: Physical and chemical properties**

Color Odor	<ul><li>Brown. Green.</li><li>Not available.</li></ul>	
Odor threshold	: Not available.	
рН	: Not available.	
Melting point/freezing point	: Not available.	
Initial boiling point and boiling range	: Not available.	
Flash point	: Closed cup: 78°C	
Evaporation rate	: Not available.	
Flammability (solid, gas)	: Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust f sanding etc. can cause self-ignition. All cloths etc. must be put into water, sea containers or be burnt.	
Burning time	: Not applicable.	
Burning rate	: Not applicable.	
Upper/lower flammability or explosive limits	: Not available.	
Vapor pressure	: Not available.	
Vapor density	: Not available.	
Relative density	: 0,92	
Solubility(ies)	: Insoluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	: Not available.	
Auto-ignition temperature	: Not available.	
Date of issue/Date of revision :		5/10



### **SECTION 9: Physical and chemical properties**

Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Not available.
Oxidizing properties	: Not available.

### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	No specific test data related to reactivity available for this product or its ingred	dients.
10.2 Chemical stability	Stable under recommended storage and handling conditions (see section 7).	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occ	cur.
10.4 Conditions to avoid	When exposed to high temperatures may produce hazardous decomposition products.	
10.5 Incompatible materials	Keep away from the following materials to prevent strong exothermic reaction oxidizing agents, strong alkalis, strong acids.	าร:
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition produse should not be produced.	ucts

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

There are no data available on the preparation itself. The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin. If splashed in the eyes, the liquid may cause irritation and reversible damage.

### Acute toxicity

Product/ingredient name	e Result	Species	Dose	Exposure
Naphta (petroleum), hydrogen treated heavy	LD50 Dermal	Rabbit	>3200 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: Not available.			
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
Sensitization				
Conclusion/Summary	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
Carcinogenicity				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			

# **SECTION 11: Toxicological information**

Other information

: Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

There are no data available on the preparation itself. Do not allow to enter drains or watercourses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See sections 3 and 15 for details.

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Naphta (petroleum), hydrogen treated heavy	-	-	Readily

#### **12.3 Bioaccumulative potential**

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: Yes.
European waste catalogue (EWC)	<ul> <li>The European Waste Catalogue classification of this product, when disposed of as waste, is:</li> <li>08 01 11* waste paint and varnish containing organic solvents or other dangerous</li> </ul>
	substances.
	If this product is mixed with other wastes, this code may no longer apply. If mixed with other wastes, the appropriate code should be assigned. For further information, contact your local waste authority.
Packaging	

Page: 7/10

# **SECTION 13: Disposal considerations**

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	Not available.	Not regulated.	Not available.	Not available.
14.2 UN proper shipping name	Not available.	-	Not available.	Not available.
14.3 Transport hazard class(es)	Not available.	-	Not available.	Not available.
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Additional information	Remarks Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust from sanding etc. can cause self-ignition. All cloths etc. must be put into water, sealed containers or be burnt.	-	<b><u>Remarks</u></b> Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust from sanding etc. can cause self-ignition. All cloths etc. must be put into water, sealed containers or be burnt.	<b>Remarks</b> Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust from sanding etc. can cause self-ignition. All cloths etc. must be put into water, sealed containers or be burnt.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode



# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU Regulation (EC) No. 1907/2006 (REACH)					
Annex XIV - List of substances subject to authorization					
Substances of very high concern					
None of the components are listed.					
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.			
Other EU regulations					
VOC for Ready-for-Use Mixture	:	IIA/f. Interior and exterior minimal build woodstains. EU limit values: 700g/l (2007) 700g/l (2010.) This product contains a maximum of 110 g/l VOC.			
Europe inventory	1	Not determined.			
Black List Chemicals	1	Not listed			
Priority List Chemicals	1	Not listed			
Integrated pollution prevention and control list (IPPC) - Air	:	Not listed			
Integrated pollution prevention and control list (IPPC) - Water	:	Not listed			
International regulations Chemical Weapons Convention List Schedule I Chemicals	:	Not listed			
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed			
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed			
15.2 Chemical Safety		This product contains substances for which Chemical Safety Assessments are still			

15.2 Chemical Safety	1	This product contains substances for which Chemical Safety Assessments are still
Assessment		required.

# **SECTION 16: Other information**

CEPE code	8			
Indicates information that has changed from previously issued version.				
Abbreviations and acronyms : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number				
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.				
Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]				
Classification		Justification		
Not classified.				

Page: 9/10



# **SECTION 16: Other information**

Full text of abbreviated H statements	: H226 Flammable liquid and vapor.	
Full text of classifications [CLP/GHS]	: Flam. Liq. 3, H226 FLAMMABLE LIQUIDS - Category 3	
Full text of abbreviated R phrases	<ul> <li>R10- Flammable.</li> <li>R65- Harmful: may cause lung damage if swallowed.</li> <li>R66- Repeated exposure may cause skin dryness or cracking.</li> <li>R67- Vapors may cause drowsiness and dizziness.</li> <li>R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>	
Full text of classifications [DSD/DPD]	: Xn - Harmful N - Dangerous for the environment	
Training advice	: Risk of self-ignition. Contaminated equipment for cleaning, cloths, rags, dust from sanding etc. can cause self-ignition. All cloths etc. must be put into water, sealed containers or be burnt.	
Date of printing	: 2013-05-23.	
Date of issue/ Date of revision	: 2013-05-23.	
Date of previous issue	: No previous validation.	
Version	: 1	
Notice to reader		

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

